



CERTIFICATE

SN:

EXAMPLE

Order Confirmation:

--


Date:

--

Operator:

--


OECF



Patch			
Step	Measured	Reference	Deviation
1		0,06	
2		0,12	
3		0,19	
4		0,25	
5		0,32	
6		0,40	
7		0,48	
8		0,57	
9		0,66	
10		0,76	
11		0,86	
12		0,98	
13		1,11	
14		1,25	
15		1,40	
16		1,58	
17		1,79	
18		2,04	
19		2,35	
20		3,00	
Background		0,80	



COLOR



	L	a	b
A1	30	54	-22
A2	59	33	-27
A3	30	56	-56
A4	48	-15	-39
A5	59	-25	-19
A6	17	-21	-3
A7	62	-36	-12
A8	12	1	8

	L	a	b
B1	13	27	-29
B2	39	29	-47
B3	20	2	-33
B4	57	-14	-26
B5	16	-13	-16
B6	58	-2	-31
B7	51	-44	-10
B8	60	-39	18

	L	a	b
C1	79	-2	-7
C2	79	11	-2
C3	84	-18	-3
C4	80	14	6
C5	81	-14	27
C6	56	28	34
C7	58	21	16
C8	51	-48	13

	L	a	b
D1	23	21	27
D2	61	35	69
D3	27	22	-51
D4	93	-1	-3
D5	5	0	-2
D6	71	21	24
D7	69	30	25
D8	15	-20	5

	L	a	b
E1	57	20	17
E2	34	15	-47
E3	52	-47	47
E4	76	-1	-2
E5	22	0	-2
E6	57	12	23
E7	58	15	15
E8	63	-39	5

	L	a	b
F1	42	-3	-23
F2	42	53	20
F3	38	58	35
F4	59	-1	-2
F5	32	0	-2
F6	36	15	27
F7	58	15	15
F8	58	-32	46

	L	a	b
G1	32	-17	28
G2	20	43	-40
G3	74	2	76
G4	42	0	-2
G5	52	-1	-2
G6	61	14	15
G7	58	17	17
G8	54	-48	49

	L	a	b
H1	50	11	-29
H2	71	-25	68
H3	45	54	-24
H4	27	0	-2
H5	70	-1	-2
H6	37	27	43
H7	27	19	29
H8	62	-54	52

	L	a	b
I1	72	-32	-2
I2	67	17	73
I3	45	-25	-27
I4	4	0	-1
I5	93	-1	-3
I6	57	24	23
I7	59	22	25
I8	53	15	50

	L	a	b
J1	78	11	14
J2	87	-17	4
J3	81	2	-6
J4	82	-11	-7
J5	64	-1	-2
J6	36	0	-2
J7	11	-1	-2
J8	58	-17	56

	L	a	b
K1	17	33	9
K2	45	62	44
K3	56	33	4
K4	60	36	18
K5	59	43	67
K6	74	-9	73
K7	52	1	52
K8	75	-27	73

	L	a	b
L1	37	63	10
L2	15	31	-11
L3	39	62	32
L4	47	62	47
L5	72	16	77
L6	77	4	77
L7	72	-16	72
L8	14	12	14

RESOLUTION / SLANTED EDGES

	Measured density	Calculated reflectance	Modulation	Contrast Ratio
low contrast	1,07	#BEZUG!	55%	3
	0,55	0,28		
high contrast	1,56	#BEZUG!	89%	17
	27,00	0,54		

All values in this certificate measured with X-Rite eXact.

https://www.image-engineering.de/content/products/charts/IE_reference_data_accuracy.pdf